## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1239	(encrypt\$7 and (((allow\$5 permi\$6 forbid\$7 inhibi\$6) near3 encrypt\$7) (nonencrypt\$5 unencrypt\$6 non-encrypt\$5 un-encrypt\$6))) and (message near5 (part portion section)) and (message near12 (type category))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:12
L5	1174	(encrypt\$7 and (((allow\$5 permi\$6 forbid\$7 inhibi\$6) near3 encrypt\$7) (nonencrypt\$5 unencrypt\$6 non-encrypt\$5 un-encrypt\$6))) and (message near5 (part portion section)) and (message near12 (type category)) and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:13
L7	478	(encrypt\$7 and (((allow\$5 permi\$6 forbid\$7 inhibi\$6) near3 encrypt\$7) (nonencrypt\$5 unencrypt\$6 non-encrypt\$5 un-encrypt\$6))) and (message near5 (part portion section)) and (message near12 (type category)) and (key near3 encrypt\$7 near6 (generat\$6 mak\$4 made creat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:15
L9	435	(encrypt\$7 and (((allow\$5 permi\$6 forbid\$7 inhibi\$6) near3 encrypt\$7) (nonencrypt\$5 unencrypt\$6 non-encrypt\$5 un-encrypt\$6))) and (message near5 (part portion section)) and (message near12 (type category)) and (key near3 encrypt\$7 near6 (generat\$6 mak\$4 made creat\$5)) and (message near5 encrypt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:16
L10	111	(encrypt\$7 and (((allow\$5 permi\$6 forbid\$7 inhibi\$6) near3 encrypt\$7) (nonencrypt\$5 unencrypt\$6 non-encrypt\$5 un-encrypt\$6))) and (message near5 (first second) near7 (part portion section)) and (message near12 (type category)) and (key near3 encrypt\$7 near6 (generat\$6 mak\$4 made creat\$5)) and (message near5 encrypt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:17

## **EAST Search History**

Interference scars

## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	<b>1</b> ,	((encrypt\$7 and (((allow\$5 permi\$6 forbid\$7 inhibi\$6) near3 encrypt\$7) (nonencrypt\$5 unencrypt\$6 non-encrypt\$5 un-encrypt\$6))) and (message near5 (first second) near2 (part portion section)) and (message near12 (type category)) and (key near3 encrypt\$7 near6 (generat\$6 mak\$4 made creat\$5)) and (message near5 encrypt\$6)). clm.	US-PGPUB	OR	ON	2007/04/26 16:37